







2013-2017 WOMEN'S JR. OLYMPIC CODE OF POINTS ERRATA

06/17/13

Pg #	Event	Correction/addition
5	Gen.	14. g. Add "hip" Incorrect padding (Gymnast wearing heel/ hip pads on bars)
6	Gen.	14. add " u. Failure to mark the boundary line on additional matting which covers the boundary line. " 0.10
20	Gen.	C. 2. Medium Faults: Add g. Additional trunk movements to maintain balance/control upon landing of UB/BB dismounts and Floor acro elements Up to 0.20 This applies to "stuck landings" but uses trunk movements to avoid steps.
20	Gen.	C. 3. Large Faults, b. Add "on the beam" Additional movements to maintain balance on the beam.
21	Gen.	Clarification on steps on landing at top of page. Add #3. Maximum deduction of 0.40 for any number of steps (small or large); however, if the gymnast takes steps out of control leading to a fall, only the 0.50 deduction for a fall is applied.
23	Gen.	VII. C. 3. d. change unallowable to restricted: Performance of restricted elements (0.50 each)
32	Vault	4. 1st bullet: Change reference to vault #4.303 to #4.403
35	Vault	Clarification on steps on landing at middle of page. Add #3. There is a maximum deduction of 0.40 for any number of steps (small or large); however, if the gymnast takes steps out of control leading to a fall, only the 0.50 deduction for a fall is applied.
34	Vault	5. Other /deductions, Add new i. Level 6-9 gymnast performs a restricted vault for their level VOID
69	Bars	7. b. Change 2nd sentence to read "See #6 regarding contacting the bar or mat with the feet."
69	Bars	8. Weiler Kip. Add to the beginning of the first sentence " Ideally "
83	Bars	I. Slight/Small Faults: A. Add "sickled" to read Flexed/ sickled feet on Value-Part elements E. Add "s" to leg to read "Legs crossed during salto dismounts with twist
83	Bars	II. Medium Faults: Add. I. Additional trunk movements to maintain balance/control upon landing of dismount Up to 0.20. This applies to "stuck landings" but uses trunk movements to avoid steps.
83	Bars	III. Large Faults: B. Insufficient exactness of stretched position; change deduction to Each time Up to 0.20 Both bullets: change deductions for arch and hip (delete "s") angle to Up to 0.20 Move this deduction to Medium Faults J and delete from Large Faults
83	Bars	D. Delete: Additional trunk movements to maintain balance Up to 0.30 (moved to medium faults I. and amended) Change letters of remaining deductions after deleting D
83	Bars	III. Large Faults: Replace B. with: Insufficient extension (open) of body prior to landing of dismount Up to 0.30
84	Bars	V. Chief Judge Deductions: B. Add hip to read "Incorrect padding (use of heel/ hip pads)
101	Bars	#2.301 3rd illustration- 1st symbol should be moved up to the 2nd illustration (cast HS with ½ turn)
103	Bars	#2.303 1st description: move "also with ½ turn (180°)" down above the 2nd illustration
103	Bars	#2.403 1st diagram delete the 3rd-6th figures and replace with the last 4 figures with 360°
109	Bars	#3.406 1st illustration symbol is incorrect. Refer to the 2nd symbol on the Bar symbol chart.
117	Bars	#5.403 2nd illustration symbol should have a "dot" after the twist to indicate transfer to Low bar.
122	Bars	#6.104 Change description to :" Clear straddle circle backward to clear straddle "L" support "
122	Bars	#6.204 Change description to: " Stalder circle backward to clear support "
144	Beam	IV. A. 2, Change reference in parenthesis to Chapter 1. I. to E. for matting information.,
155	Beam	q. Change #8.404 to #8.504
164	Beam	C. Insufficient use of entire beam apparatus. Move the deduction of Up to 0.10 down to C. !. Insufficient level changes throughout the exercise
164	Beam	V. C. Deduction for Failure to land with feet/legs together on jumps/leaps that land on 2 feet in side position Add Each Up to 0.10
165	Beam	I. A. Slight/Small Faults, #1. Add "sickled" to read: Flexed/ sickled feet during Value Parts

165	Beam	I. B. Medium Faults: Delete #2 Relaxed/incorrect footwork on non-value parts (it's on page 164 under Spec. Exec. Deductions) and replace it with "Additional trunk movements to maintain balance/control upon landing of dismount Up to 0.20 " This applies to "stuck landings" but uses trunk movements to avoid steps.
166	Beam	C. Large Faults, #2. Add to end of sentence "on the beam". Additional movements to maintain balance on the beam. Up to 0.30
166	Beam	C. Large Faults, #4 Delete "salto" Insufficient height of dismounts Up to 0.30
166	Beam	C. Large Faults: Delete #6. Relaxed/incorrect leg position/body posture... (it is on page 164 under Specific Exec. Deductions) and replace with "Insufficient extension (open) of body prior to landing of Acro or dismount elements Up to 0.30"
166	Beam	D. Very Large Faults, #6. Exercise shorter than 30 seconds (complete or incomplete) Add (Chief Judge)
168	Beam	II. B. Examples of B + D: Move #1 and #2 down under B + E as examples #3 and #4.
168	Beam	II. B. Example #3 of B + D change Full twisting flic-flac swing down (E) to (D)
169	Beam	D + D Example #1: change Full twisting flic-flac swing down (E) to (D)
171	Beam	B + D Example #26/9/2013 change Full twisting flic-flac swing down (E) to (D)
171	Beam	2nd C + C: Using different "C" dance elements or Dance/ Acro elements (delete 2nd "or dance/acro elements")
183	Beam	Add #1.114 Front Walkover (hands on springboard) to sit on the beam = A Symbol will be added to the Beam Symbol chart and posted.
195	Beam	#3.303 Delete repeated words "without hand holding leg"
196	Beam	#3.306 2nd illustration Add symbol: 
197	Beam	#3.208 Description 1/1 turn (360°) flank circle, legs together. Delete the rest of the description for 3.309 that is listed under 3.208. The symbol is 
201	Beam	#5.204 Change description to "Clear pike "V" or " straddle " support (2 sec.)
210	Beam	#7.403 Under first description of Aerial Cartwheel, also from stand on one leg, -swing free leg through backward add symbol: 
217	Beam	#8.301 2nd illustration symbol - delete the "check" after the two vertical lines indicating the two foot take off
219	Beam	#8.504 1st element description: Salto backward stretched with legs together: Illustration is incorrect (shows Layout step-out)
234	Floor	D. Difficulty Restrictions #2 Level 9: a. All A, B and C elements, D/E dance elements and a maximum of one D/E Acro element are allowed on FX.
236	Floor	#4. Example: 2nd sentence should read: If the turn is completed to within 89° or less of the designated degree of turn, it will be awarded the higher Value Part. The diagram is incorrect and will be replaced and a new page will be posted on the website.
238	Floor	j. Under note: Refers to #2.209 but should be #2.208
249	Floor	I. A. Slight/Small Faults, #1. Add "sickled" to read: Flexed/ sickled feet during Value Parts Add to deduction Each time 0.05
249	Floor	I. B. Medium Faults: Add #14. Additional trunk movements to maintain balance/control upon landing of Acro elements Up to 0.20 This applies to "stuck landings" but uses trunk movements to avoid steps.
250	Floor	C. Large Faults - Delete #2. Replace with " Insufficient extension (open) of body prior to landing of Acro elements Up to 0.30"
252	Floor	II. A. D/E Salto series: Last example is missing the symbol for Round-off 
253	Floor	#3 at top of page: A/B + A/B + D/E
259	Floor	IV. A. Example: Values need to move to the Left to be under the corresponding element



2013-2017 WOMEN'S JR. OLYMPIC CODE OF POINTS ERRATA

06/17/13

APPENDIX ITEMS		
Lev. 10	Vlt. Chart	Level 10 Vault chart: Note at bottom-2nd sentence should indicate: No bonus for the "following" 10.0 Vaults...
Lev. 9	Vlt. Chart	Level 9 Vault chart: Group 1: #1.307 1/1 on - 1/1 "off"
Lev. 9	Vlt. Chart	Group IV: Change # 4.201 to #4.203 and change #4.302 to #4.303
Level 6-8 and 9/10	Cheat sheet	Bar Execution: Add "Additional trunk movements to maintain balance on dismount Up to 0.20" add: Insufficient exactness of body shape - N, V, / Up to 0.20 Add: Insufficient extension (open) of body prior to landing of dismount Up to 0.30
Level 6-8 and 9/10	Cheat sheet	Beam Execution: Add "Additional trunk movements to maintain balance on dismount Up to 0.20" add: Insufficient exactness of body shape - N, V, / Up to 0.20 Add: Insufficient extension (open) of body prior to landing of Acro elements and dismount Up to 0.30
Level 6-8 and 9/10	Cheat sheet	Floor Execution: Add "Additional trunk movements to maintain balance on Acro elements Up to 0.20" add: Insufficient exactness of body shape - N, V, / Up to 0.20 Add: Insufficient extension (open) of body prior to landing of Acro elements and dismount Up to 0.30
Level 6-8 and 9/10	Cheat sheet	General Execution (last column on right): Add: Insufficient exactness of body shape - N, V, / Up to 0.20 (Change Insuff. Stretch from Up to 0.30 to Up to 0.20) Insufficient extension (open) of body prior to landing -Applies to UB/BB dismounts & Floor Acro
Opt. Req. Chart		Level 6: Difficulty Restrictions: Add to allowable C's on Bars: Back stalder to HS & Pike sole circle bwd. to HS Beam Special Req. Level 6 - #1 & Level 7 #1b: Delete the word "Both" in the parenthesis Floor Spec. Req. Level 6 #3: Change Leap split req. from 150° to 180°